



Sales Address: 10225 Mula Road | Suite 100 Stafford TX 77477
 Physical Address: 5201 Polk Street | Building 1 Houston TX 77023
 Ph: 832-617-8200 | Fax: 832-617-8201



Products

SNAPP stocks a wide range of stainless steel pipe, fittings and flanges in 304/304L and 316/316L to meet quick requirements as well as project support. Domestic (USA), Approved Import (AML), Generic Import, and China material is available from stock.

Products available in 304/304L and 316/316L in Domestic (USA), Approved Import (AML), Generic Import, and China material.

	PIPE		FITTINGS			FLANGES
	Seamless	Welded	Butt Weld Fittings	Forged Socket Weld & Threaded Fittings	Cast Fittings THRD & SW	Full Range
Specifications	ASTM A312	ASTM A312	ASTM A403WPW, A403 WPX, A403WPS	ASTM A182	MSS SP-114	ASTM A182
Sizes	1/8" - 24"	1/8" - 36"	1/2" - 36"	1/8" - 4"	1/8" - 6"	1/2" - 36"
Schedules	10S, 40S, 80S, 160, XXH, True 40, True 80	10S, True 10, 20, 40S, 80S, True 80	10S, 40S, 80S, 160, XXH			
Pressures				3000#, 6000#	150#	150#, 300#, 600#, 900#, 1500#, 2500#

Services Available

- 24-Hour Emergency Service
- Pipe cutting, grooving, threading, and beveling pipe
- Flange modification, including flat facing, reducing, straight boring, taper boring, RTJ Groove
- Fitting modification, including taper boring and stub end modification
- Color Coding, PMI, X-RAY
- Customer Service & Logistics

SNAPP offers familiar faces and years of experience with a new take on master distribution of stainless steel products. SNAPP is built on pride – pride in our team, our product, and the service we provide our customers.

Along with Nickel Piping Products, SNAPP is headquartered outside of Houston, TX. McCarter Alloys represents SNAPP in the northeast and brings over 35 years of experience to our team. Together, SNAPP is working to become the best in service – with:

- **Quality and availability of products** based on years of relationships with our vendors
- **Pride in our team** to deliver on promises and offer personalized service to our customers
- **Continuous expansion** to offer new products in new locations to better serve our customers



Sales Address: 10225 Mula Road | Suite 100 Stafford TX 77477
 Physical Address: 5201 Polk Street | Building 1 Houston TX 77023
 Ph: 832-617-8200 | Fax: 832-617-8201

"PIPE SIZE"	"O.D. (inches)"	5	10s	10	20	30	40	STD.	60	80	XH	100	120	140	160	XXH
1/8	0.405	0.035	0.049	0.049			0.068	0.068		0.095	0.095					
		0.1383	0.1863	0.1863				0.2447	0.2447		0.3145	0.3145				
1/4	0.540	0.049	0.065	0.065						0.119	0.119					
		.2570	0.3297	0.3297				0.4248	0.4248		0.5351	0.5351				
3/8	0.675	0.049	0.065	0.065						0.126	0.126					
		0.3276	0.4235	0.4235				0.5675	0.5675		0.7388	0.7388				
1/2	0.840	0.065	0.083	0.083						0.147	0.147				0.187	0.294
		0.5383	.6710	.6710				.8510	.8510		1.088	1.088				1.304
3/4	1.050	0.065	0.083	0.083						0.154	0.154				0.218	0.308
		0.6838	0.8572	0.8572				1.131	1.131		1.474	1.474				1.937
1	1.315	0.065	0.109	0.109						0.179	0.179				.250	0.358
		0.8678	1.404	1.404				1.679	1.679		2.172	2.172				2.844
1-1/4	1.660	0.065	0.109	0.109			.140	.140		0.191	0.191				.250	0.382
		1.107	1.806	1.806				2.273	2.273		2.997	2.997				3.765
1-1/2	1.900	0.065	0.109	0.109						.200	.200				0.281	.400
		1.274	2.085	2.085				2.718	2.718		3.631	3.631				4.859
2	2.375	0.065	0.109	0.109						0.218	0.218				0.343	0.436
		1.604	2.638	2.638				3.653	3.653		5.022	5.022				7.444
2-1/2	2.875	0.083	.120	.120						0.276	0.276				0.375	0.552
		2.475	3.531	3.531				5.793	5.793		7.661	7.661				10.01
3	3.500	0.083	.120	.120						.300	.300				0.437	.600
		3.029	4.332	4.332				7.576	7.576		10.25	10.25				14.32
3-1/2	4.000	0.083	.120	.120						0.318	0.318					0.636
		3.472	4.937	4.937				9.109	9.109		12.51	12.51				
4	4.500	0.083	.120	.120					0.281	0.337	0.337		0.437		0.531	0.674
		3.915	5.613	5.613				10.79	10.79	12.66	14.98	14.98		19.01		22.51
5	5.563	0.109	0.134	0.134						0.375	0.375		.500		0.625	.750
		6.349	7.770	7.770				14.62	14.62		20.78	20.78		27.04		32.96
6	6.625	0.109	0.134	0.134			.280	.280		0.432	0.432		0.562		0.718	0.864
		7.585	9.289	9.289				18.97	18.97		28.57	28.57		36.39		45.30
8	8.625	0.109	0.148	0.148	.250	0.277	0.322	0.322	0.406	.500	.500	0.593	0.718	0.812	0.906	0.875
		9.914	13.40	13.40	22.36	24.70	28.55	28.55	35.64	43.39	43.39	50.87	60.63	67.76	74.69	72.42
9	9.625										.500					
											33.90					
10	10.750	0.134	0.165	0.165	.250	0.307	0.365	0.365	.500	0.593	.500	0.718	0.843	1.000	1.125	
		15.19	18.65	18.65	28.04	34.24	40.48	40.48	54.74	64.33	64.33	76.93	89.20	104.0	115.7	
12	12.750	0.165	.180	.180	.250	.330	0.406	0.375	0.562	0.688	.500	0.843	1.000	1.125	1.312	
		22.18	24.16	24.20	33.38	43.77	53.33	49.56	73.16	88.51	88.51	107.2	125.5	139.7	160.3	
14	14.000		0.188	.250	0.312	0.375	0.438	0.375	0.593	.750	.500	0.937	1.093	1.250	1.406	
			27.73	36.71	45.68	54.57	63.37	54.57	84.91	106.1	106.1	130.7	150.7	170.2	189.1	
16	16.000		0.188	.250	0.312	0.375	.500	0.375	0.656	0.844	.500	1.031	1.218	1.437	1.593	
			31.75	42.05	52.36	62.58	82.77	62.58	107.5	136.5	136.5	164.8	192.3	223.5	245.1	
18	18.000		0.188	.250	0.312	0.437	0.562	0.375	.750	0.937	.500	1.156	1.375	1.562	1.781	
			35.76	47.39	59.03	82.06	104.8	70.59	138.2	170.8	170.8	208.0	244.1	274.2	308.5	
20	20.000		0.218	.250	0.375	.500	0.593	0.375	0.812	1.031	.500	1.280	1.500	1.750	1.968	
			46.05	52.73	78.60	140.1	122.9	78.60	166.4	208.9	208.9	256.1	296.4	341.1	379.0	
22	22.000			.250	0.375	.500		0.375	0.875	1.125	.500	1.375	1.625	1.875	2.125	
				58.07	86.61	114.8			86.61	197.4	250.8	114.8	277.0	353.6	403.0	451.1
24	24.000		.250	.250	0.375	0.562	0.687	0.375	0.968	1.218	.500	1.531	1.812	2.062	2.343	
			63.41	63.41	94.62	140.8	171.2	94.62	238.1	296.4	125.5	367.4	429.4	483.1	541.9	
26	26.000			0.312	.500			0.375			.500					
				85.60	136.2				102.6							
28	28.000			0.312	.500	0.625		0.375			.500					
				92.26	146.8	182.7			110.6							
30	30.000		0.312	.500	0.625			0.375			.500					
			98.93	98.93	157.5	196.1			118.6							
32	32.000			0.312	.500	0.625	0.688	0.375			.500					
				105.6	168.2	209.4	230.1	126.7								
34	34.000			0.344	.500	0.625	0.688	0.375			.500					
				123.7	178.9	222.8	244.8	134.7								
36	36.000			0.312	.500	0.625	.750	0.375			.500					
				118.9	189.6	236.1	282.3	142.7								
42	42.000							0.375			.500					
								166.7			221.6					
48	48.000							0.375			.500					
								190.7			253.6					

Gray Shading: Wall Thickness in inches White Shading: Weight per foot in lbs.